

Contents lists available at [ScienceDirect](#)

Quaternary Science Reviews

journal homepage: www.elsevier.com/locate/quascirev

Corrigendum

Corrigendum to “A stalagmite record of Holocene Indonesian–Australian summer monsoon variability from the Australian tropics” [Quat. Sci. Rev. 78 (2013) 155–168]

Rhawn F. Denniston^{a,*}, Karl-Heinz Wyrwoll^b, Victor J. Polyak^c, Josephine R. Brown^d, Yemane Asmerom^c, Alan D. Wanamaker Jr.^e, Zachary LaPointe^c, Rebecca Ellerbroek^a, Michael Barthelmes^a, Daniel Cleary^a, John Cugley^f, David Woods^g, William F. Humphreys^{b,h,i}

^a Department of Geology, Cornell College, 600 First Street West, Mount Vernon, IA 52314, USA

^b University of Western Australia, Perth, Western Australia, Australia

^c Department of Earth and Planetary Sciences, University of New Mexico, Albuquerque, NM, USA

^d Centre for Australian Weather and Climate Research, Melbourne, Australia

^e Department of Geological and Atmospheric Sciences, Iowa State University, Ames, IA, USA

^f Kimberley Toad Busters, Kununurra, Western Australia, Australia

^g Department of Environment and Conservation, Broome, Western Australia, Australia

^h Western Australian Museum, Welshpool DC, Western Australia, Australia

ⁱ University of Adelaide, Adelaide, South Australia, Australia

The authors regret that when their paper was first published, the running mean of stacked oxygen isotopic ratios for KNI-51 stalagmites presented in Figs. 5 and 6 contained incorrect age models for the interval 2.0–1.0 ka. The corrected version of these figures presented overleaf places the late Holocene period of weakest IASM from 2.0 to 1.5 ka rather than 1.5 to 1.2 ka.

DOI of original article: <http://dx.doi.org/10.1016/j.quascirev.2013.08.004>.

* Corresponding author. Fax: +1 319 895 5667.

E-mail address: rdenniston@cornellcollege.edu (R.F. Denniston).

0277-3791/\$ – see front matter © 2013 Elsevier Ltd. All rights reserved.

<http://dx.doi.org/10.1016/j.quascirev.2013.12.020>

Please cite this article in press as: Denniston, R.F., et al., Corrigendum to “A stalagmite record of Holocene Indonesian–Australian summer monsoon variability from the Australian tropics” [Quat. Sci. Rev. 78 (2013) 155–168], Quaternary Science Reviews (2014), <http://dx.doi.org/10.1016/j.quascirev.2013.12.020>




Fig. 5. Holocene monsoon reconstructions from stalagmite oxygen isotopic ratios at Dongge Cave, China (Wang et al., 2005), Gunung Buda, Borneo (Partin et al., 2007), Liang Luar, Flores (Griffiths et al., 2009), and KNI-51 (this study). KNI-51 data are presented as running mean and gaps between non-overlapping stalagmites are omitted.




Fig. 6. Overlap of Gunung Buda, Borneo and Liang Luar, Flores oxygen isotopic time series with that of cave KNI-51. Note differential phasing of IASM rainfall between KNI-51 and these two sites. KNI-51 data are presented as running mean and gaps between non-overlapping stalagmites are omitted.

The authors would like to apologise for any inconvenience caused.